

CERTIFICATE OF COMPLIANCE

Certificate Number 20190402-MH26866
Report Reference MH26866-20000810
Issue Date 2019-APRIL-02

Issued to: SHENZHEN LEOCH BATTERIES TECHNOLOGY CO LTD
XINBAOHUI BLDG, 22ND FL, UNIT D & E
NANSHAN, NANYOU BLVD, SHENZHEN
GUANGDONG 518052 CHINA

**This certificate confirms that
representative samples of**

COMPONENT - BATTERIES, STANDBY
See next page for models

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:
Additional Information:

UL1989, Standby Batteries
See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190402-MH26866
Report Reference MH26866-20000810
Issue Date 2019-APRIL-02

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models:

Component Lead-Acid Batteries DJ, DJM, DJW, FT, Khind, LP, LPC, LPF, LPL, LPS, LPX, MS, US, USC, USF, USL, USX, XP, CT, LCTM, DTA, PLH, PLX, ELA, ELHR, LCP, XPE and LHR series complying with the requirements of the Pressure Release Test in UL 1989, Standard of Standby Batteries.

Component Lead-Acid Batteries, Model(s): 6-DZM-6, 6-DZM-10, 6-DZM-12, 6-DZM-17, 6-DZM-20, 6-DZM-24, 6-DZM-34, LHT2-300, LHT2-400, LHT2-500, LHT2-600, LHT2-800, LHT2-1000, LHT2-1200, LHT2-1500, LHT2-2000, LHT12-38, LHT12-65, LHTF12-65, LHTF12-80, LHT12-100, LHTF12-100, LHT12-150, LHTF12-150, LHT12-200, LHTF12-200, 235-011-009, LCP12-70, LCP12-24, LCP12-26, LCP12-34, LCP12-38, LCP12-135, LCP12-225, LCP12-300, LCP12-350, LCP12-450, LCP12-740, LCP12-810, XVP12-30, XVP12-80, XVP12-90, XVP12-280, XVP12-330, XVP12-330Z, XVP12-360, XVP12-400, XVP12-490, XVP12-650, XVP12-24, XVP12-26, XVP12-34, XVP12-38, XVP12-135, XVP12-225, XVP12-300, XVP12-350, XVP12-450, XVP12-740, XVP12-810, FM1275, FM12170C, FM12180, FM12300, LPF12-170, US2-100, US2-150, US2-200, US2-250, US2-300, US2-350, US2-400, US2-500, US2-600, US2-700, US2-800, US2-1000, US2-1200, US2-1500, US2-2000, US2-2500, FT12-50, LHT12-190, LP12-100E, LP12-42, LPC12-20 FR, LHTF12-120, LHTF12-190, LHT12-200, LPL12-100H, 6V7AH, 12V12AH, LP12-22, FT12-190, DTA6260, LP12-2.1, LP12-3.4, DJW12-3.4, LPF12-165, LPG12-60S, CPS3.6-12, LPF12-200, CPS5.5-12 FR, LCP12-24 FR, LCP12-24 FR, LCP12-30 FR, LCP12-34 FR, LCP12-38 FR, LCP12-80 FR, LCP12-90 FR, USL12-7.2, US12-2.1, US12-5.4, USL12-10, USL12-12, USL12-14, USL12-18, USL12-20, USL12-24H, USL12-28H, USL12-28H FR, US12-33, USL12-33, USL12-75H, MP4.5-4, MP3-8, MP1-6, MP2.8-6P, MP20-6, MP2.9-12R, MP3.4-12, MP4-12D, LP12-11, USL12-250, LHR1224W, LHR1225W, LHR1226W, LHR1230W, LHR1234W, LHR1236W, LHR1238W, LHR1270W, LHR1280W, LHR1290W, LHR12135W, LHR12153W, LHR12187W, LHR12225W, HR12255W, LHR12300W, LHR12330W, LHR12350W, LHR12360W, LHR12400W, LHR12450W, LHR12510W, LHR12602W, LHR12694W, LHR12850W, LHR593W, LHR857W, LHR1186W, LHR1450W, LHR1714W, LHR2372W, LHR2900W, HW2-300, HW2-600, XV12-2.3, XV12-4.5, XV12-7.0, XV12-12, XV12-18, XV12-33, XV12-40, XV12-100, XV12-200, XV2-200, XVL2-150, LPG12-180S, LPGS12-180, STK12-9.0, STK12-7.0, LP12-230 FR, LHR12765W, LP12-10S, DTA12150, LPC12-27, CT250-12, LHR12215W, CT12-50W, CT12-80W, CT12-100W, CT12-90W, CT12-150W, CT12-125W, CT12-225W, CT12-370W, CT12-430W, CT12-480W, CT12-485W, CT12-540W, CT12-675W, CT12-780W, LHP12725W, LHR12690W, LHP12860W, LHR12820W, LP12-5.4H, LHR1226W, LHR1234W, LHR1224W, LHR1230W, LHR1238W, LP12-40, DJM1240L, LP12-50, DJM1250L, LP12-60, DJM1260L, LP12-80, DJM1280L, LP12-90H, DJM1290L, LP12-100, DJM12100L, LP12-150, DJM12150L, LP6-8.5L, LP6-8.0S, LPC6-200H, DTA6210, LPC12-80, EV1285, LPC12-90, EV12105, LPC12-100, EV12115, LPX12-120 FR, LHR12460W, LP12-38 FR, LHR12125W, LP12-180 FR, LHR12600W, LP12-55 FR, LHR12185W, LP12-12 FR, LHR1248W, LP12-45 FR, LHR12160W, LPX12-100 FR, LHR12430W, LP12-200, DJM12200L, DJW12-8.0, LHR1236W, LPX12-6.5, LP12-28W, LP12-1.2, DJW12-9.0, DJW12-9.0 FR.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190402-MH26866
Report Reference MH26866-20000810
Issue Date 2019-APRIL-02

Component Lead-Acid Batteries, Model(s): 6-DZM-18, 6-EV-50B, 6-EV-33, 6-EV-38, 6-EVF-38B, 6-EV-40, 6-EV-45, 6-EV-45B, 6-EV-50, 6-EV-60, 6-EV-60B, 6-EV-65, 6-EV-65B, 6-EV-75, 6-EV-80, 6-EV-90, 6-EV-90B, 6-EV-100, 6-EV-120, 6-EV-120A, 6-EV-150, 6-EV-180, 6-EV-200, 6-EV-220, 3-EV-100, 3-EV-200, PLC+C 160FT, 200 PLC, LMB2-1500, LMB2-3000, LOP12-180FT-FR, LOP12-135FT-FR, LOP12-90FT-FR, LOP12-134FR, LOP12-88FR, LOP12-38FR, LOP12-52FR, LOP12-40FR, LOP6-60FR, PLH40FT, PLH90FT, PLH90FT(A), PLH100FT(A), PLH110FT, PLH150FT(A), PLH170FT, PLH190FT(A), PLH210FT, PLX12-165FT, PLX12-260FT, PLX12-400FT(A), PLX12-450FT, PLX12-600FT(A), PLX12-700FT(A), PLX12-730FT, PLH6-100, LHR12210W, LHR12335W, LPC12-100H, LPE6-4.5, LPC12-250 FR, LP12-7.0M, LP12-7.0M FR, LP12-110H, LP12-110E, CT12-100/19FT, CT12-150FT, CT12-180FT, CT12-200FT, LPC12-250, U12V80P/B, U12V90P/B, U12V120P/B, U12V160P/B, U12V185P/B, U12V210P/B, U12V255P/B, U12V300P/B, U12V350P/B, U12V360P/B, U12V400P/B, U12V425P/B, U12V510P/B, U12V600P/B, U12V690P/B, U12V765P/B, U12V820P/B, LHR12103W, LHR12103W FR, LHR12257W, LHR12257W FR, LLP12-45, LLP12-26, USL12-42, LLP12-100, USL12-110, ES650A, ES670, ES6120, ES1213, ES1223, ES1233, ES12120, ES12220, ED1290, ED12350, ED62240, ED62500, ES1250, ES1275, ES1290, ES12100, EM121000B, EM121200S, ED12140, ED12480, ED122200, ED12850, DC12-100, DC12-120, LPFGS12-200, CPS7-12, LHR12540W, LHR12730W, LHR12740W, LHR12620W, LPS12-115, DJW12-6.0, DJW12-6.0 FR, BW645, BW1280, BW1290, BW12100, BW12120, BW12140, BW12180, BW12220, BW12260, BW12500, BW12550DC-IT, BW12750, BW121000, LP12-100L, BW121100, BW-4D-AGM, BW-4D narrow, BW-8D, BW EVGC6-220A, BW EVGC8-170A, BW1270, BW EV-22, BW EV-24, CPS7-12 FR, CPS7-12, ES613, ES633, ES1223, ES1229, ES1233, ES1250, ES1272, ES1290, ES12180, ES12220, ES12260, ES12450, ES12550, ES12850, ES121000, ES121200, ES122600, ED1270, ED12100, ED12120, ED12550, DC12-100, DC12-120, ED121600, ED122600, ED12600, BW650, LP6-5.0L, LPPFG12-150HS, PLH+C 40FT, PLH+C 62FT, PLH+C 90FT, PLH+C 100FT, PLH+C 100, PLH+C 110FT, PLH+C 150FT, PLH+C 170FT, PLH+C 190FT, PLH+C 210FT, LRC2-300, LRC2-400, LRC2-500, LRC2-600, LRC2-800, LRC2-1000, LRCF12-140, LRCF12-170, LC2-200, LC2-300, LC2-400, LC2-500, LC2-600, LC2-800, LC2-1000, LC2-1200, LP12-45H, LPL12-65M, LPL12-65M FR, LP12-15(A).

Note – The models may provide with suffix “FR” for representing enclosure material with V-0 rating.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

